

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/637,882	08/08/2003	Benjamin Spenser	501015.20512	2524
. 75	590 11/16/2005		EXAM	INER
William H. Dippert			MATTHEWS, WILLIAM H	
Reed Smith LLP 599 Lexington Avenue, 29th Floor			ART UNIT	PAPER NUMBER
New York, NY 10022-7650			3738	

DATE MAILED: 11/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

•					
	Application No.	Applicant(s)			
	10/637,882	SPENSER ET AL.			
Office Action Summary	Examiner	Art Unit			
	William H. Matthews (Howie)	3738			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D/ - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period versions to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 14 O	<u>ctober 2003</u> .				
7	•				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under E	х рапе Quayle, 1935 С.D. 11, 4:	53 U.G. 213.			
Disposition of Claims					
4) Claim(s) 1-71 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-71 are subject to restriction and/or of	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:				

Application/Control Number: 10/637,882

Art Unit: 3738

DETAILED ACTION

Election/Restrictions

Page 2

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 1-36, drawn to valves, classified in class 623, subclass 1.24.
 - II. Claims 37-38, drawn to crimping tool, classified in class 72, subclass 1.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I and II are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention II has separate utility such as crimping a metal stent. See MPEP § 806.05(d).
- 3. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.
- 1. Claim 1 is generic to a plurality of groups of disclosed patentably distinct species comprising

I. Valves

a. Figure 1

h. Figures 40a-c

b. Figure 7a-7b

i. Figures 41a-d

c. Figures 11a-11c

j. Figures 42a-b

d. Figures 12a-12c

k. Figures 43a-b

e. Figures 26a-26c

I. Figures 44a-c

f. Figure 27

m. Figures 45a-d

Application/C

Application/Control Number: 10/637,882 Page 3

Art Unit: 3738

g. Figure 28 n. Figures 46a-b

II. Valve-Stent Attachment

- a. Figure 9a n. Figure 31a
- b. Figure 9b o. Figure 32a
- c. Figure 9c p. Figure 33a
- d. Figure 9d q. Figure 34a
- e. Figure 9e r. Figure 35a
- f. Figure 9f s. Figure 36a
- g. Figure 9g t. Figure 37a
- h. Figure 9h u. Figure 38a
- i. Figure 9i v. Figure 38b
- j. Figure 24a w. Figure 38c
- k. Figure 25a x. Figure 38d
- I. Figure 29b y. Figure 39a
- m. Figure 30a

III. Markers

- a. Figures 14a-14c
- b. Figures 15a-15c
- 2. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species from each of the groups of species, even though this requirement is traversed.

Art Unit: 3738

4. Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Matthews (Howie) whose telephone number is 571-272-4753. The examiner can normally be reached on Monday-Friday 10-6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine M. McDermott can be reached on 571-272-4754. The fax phone

Application/Control Number: 10/637,882

Art Unit: 3738

number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

WHM

201-

11-14-05